

2018 Annual Drinking Water Quality Report

(Consumer Confidence Report)

Bolivar Water Supply Corporation

(940) 458-3931

This report is intended to provide you with important information about your drinking water and the efforts made to provide safe drinking water.

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Immune-compromised person such as persons with cancer undergoing chemotherapy, those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from your health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the Safe Drinking Water Hotline (1-800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

The source drinking water used by Bolivar WSC is Ground Water

Sources of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of Contaminants that may be present in source

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can naturally-occurring or be the result of oil and gas production and mining activities. conditions. The info contained in the assessment allows us to focus source water protection strategies.

En Española

Este informe contiene información muy importante sobre el agua que usted bebe. Por favor hable a (940)-458-3931(ext. 2) - para hablar con una persona bilingüe en español.

PUBLIC PARTICIPATION OPPORTUNITIES

Board of Directors Meeting:

DATE: Second Thursday of Each Month
TIME: 7:00 pm
LOCATION: 4151 FM 455 West, Sanger, TX 76266
Phone: (940) 458-3931

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791).

For more information regarding this report contact James Parkman at 940-458-3931, ext 6.

Secondary Constituents:

Many constituents (such as calcium, sodium, or iron), which are often found in drinking water, can cause taste, color, and odor problems. The taste and odor constituents are called secondary constituents and are regulated by the State of Texas, not the EPA. These constituents are not causes for health concern. Therefore, secondary's are not required to be reported in this document but they may greatly affect the appearance and taste of your water.

Water Quality Test Results

Definitions: The following tables contain scientific terms and measures, some of which may require explanation.

Maximum Contaminant Level (MCL)The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG)The level of a contaminant in drinking water below which there is no known or expected health risk. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL)The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level GOAL (MRDLG)The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

MFL million fibers per liter (a measure of asbestos).

ppb: micrograms per liter or parts per billion-or one once in 7,350,000 gallons of water.

NTU: Nephelometric turbidity units (a measure of turbidity)

pCi/L: Picocuries per liter (a measure of radioactivity)

ppm: milligrams per liter or parts per million-or one once in 7,350 gallons of water

ppt: parts per trillion, or nanograms per liter (ng/L)

ppq: parts per quadrillion, or picograms per liter (pg/L)

2018 Regulated Contaminants Detected

Regulated Contaminants

| Disinfectants and Disinfection By-Products | Collection Date | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Units | Violation | Likely Source of Contamination |
|--------------------------------------------|-----------------|------------------------|--------------------------|-----------------------|-----|-------|-----------|-------------------------------------------|
| Haloacetic Acids (HAA5) | 2018 | 3 | 3.1 – 3.1 | No goal for the total | 60 | ppb | N | By-product of drinking water disinfection |

| | | | | | | | | |
|------------------------------------|------|---|-------------|-----------------------|----|-----|---|--------------------------------------------|
| Total Trihalomethanes (THM) | 2018 | 9 | 8.59 – 8.59 | No goal for the total | 80 | ppb | N | By-product of drinking water disinfection. |
|------------------------------------|------|---|-------------|-----------------------|----|-----|---|--------------------------------------------|

| Inorganic Contaminants | Collection Date | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Units | Violation | Likely Source of Contaminant |
|--------------------------------|-----------------|------------------------|--------------------------|------|-----|-------|-----------|----------------------------------------------------------------------------------------------------------------------------|
| Barium | 2018 | 0.0005 | 0.0055 - 0.0055 | 2 | 2 | ppm | N | Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits. |
| Fluoride | 2018 | 0.115 | 0.115 – 0.115 | 4 | 4.0 | ppm | N | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories. |
| Nitrate [measured as Nitrogen] | 2018 | 0.0864 | 0.0292 – 0.0864 | 10 | 10 | ppm | N | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits. |

| Radioactive Contaminants | Collection Date | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Units | Violation | Likely Source of Contamination |
|--------------------------|-----------------|------------------------|--------------------------|------|-----|-------|-----------|--------------------------------|
|--------------------------|-----------------|------------------------|--------------------------|------|-----|-------|-----------|--------------------------------|

*EPA considers 50 pCi/L to be the level of concern for beta particles

| | | | | | | | | |
|-------------------------|------|-----|------------|---|----|---------|---|----------------------------------------|
| Beta/photon emitters | 2016 | 5.6 | 0 – 5.6 | 0 | 50 | pCi/L * | N | Decay of natural and man-made deposits |
| Combined Radium 226/228 | 2016 | 3.9 | 0.86 – 3.9 | 0 | 5 | pCi/L | N | Erosion of natural deposits. |

| Volatile Organic Contaminants | Collection Date | Highest Level Detected | Range of Levels Detected | MCLG | MCL | Units | Violation | Likely Source of Contamination |
|-------------------------------|-----------------|------------------------|--------------------------|-----------------------------|-----------------|-------|-----------|------------------------------------------------------------------------|
| Xylenes | 2018 | 0.00107 | 0 – 0.00107 | 10 | 10 | ppm | N | Discharge from petroleum factories. Discharge from chemical factories. |
| Lead and Copper | Date Sampled | MCLG | Action Level (AL) | 90 th Percentile | #Sites over all | Units | Violation | Likely Source of Contamination |
| Copper | 07/19/2016 | 1.3 | 1.3 | 0.1144 | 0 | ppm | N | Discharge from petroleum factories. Discharge from chemical factories. |
| Lead | 07/19/2016 | 0 | 15 | 2 | 0 | ppb | N | Discharge from petroleum factories. Discharge from chemical factories. |

Lead and Copper Definitions:

Action Level Goal (ALG): The level of a contaminant in drinking water above which there is no known or expected risk to health. ALGs allow for a margin of safety.

Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Disinfectant Residual

| Disinfectant Residual | Year | Average Level | Range of Levels Detected | MRDL | MRDLG | Units | Violation | Source of Drinking Water Ground Water |
|-----------------------|------|---------------|--------------------------|------|-------|-------|-----------|-----------------------------------------------------|
| | 2018 | 0.57 | 0.20 – 0.220 | 4 | 4 | ppm | N | Water additive used to control microbes CHLORINE |

Information about Source Water Assessments:

A Source Water Susceptibility Assessment for your drinking water source is currently being updated by the TCEQ. This info describes the susceptibility and types of constituents that may come into your drinking water source based on human activities and natural conditions. The info contained in the assessment allows us to focus source water protection strategies.

For more information about your sources of water, please refer to the Source Water Assessment Viewer available at the following URL:
<http://gis3.tceq.state.tx.us/swav/Controller/index.jsp?wtrsrc=>

Further details about sources and source-water assessments are available in Drinking Water Watch at the following URL:
<http://dww.tceq.texas.gov/DWW>

| Source Water Name: | Type of Water | Report Status | Location |
|----------------------------------------------|---------------|---------------|------------------------|
| 1 – Bolivar PS / 8949 Sam Bass Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 3 – Lois PS / 3683 CR 336 | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 5 – Canyon Lake PS / 6253 Canyon Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 7 – Vista Acres -2 PS / 9036 Indian Trail Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 8 – Kit Carson PS / 83 W Lone Oak Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 9 – Taylor McCarroll / 180 PR 2826 | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 10 – Fortenberry PS / 15412 FM 455 | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 11A – Green Valley PS / 2888 Sheppard Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 11B – Green Valley PS / 2888 Sheppard Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 12 – Riekrich 1 / 6875 Donald Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 13 – Spindle PS / 6080 Nance Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 15 – Odom PS / 7295 Odom Rd & CR 2450 | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 16 – Woolard PS / 3310 Lois Rd East | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 17 - Plainview PS / 11955 FM 1173 | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 18 – Miller PS / 597 CR 247 | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 19 – Teague PS / 7191 Davidson Rd | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 20 – Shifflett PS / 11300 FM 1173 W of Krum | GW | <u>Active</u> | <u>Trinity Aquifer</u> |
| 20 – Terrace Acres/ Terrace Rd, E of Sanger | GW | <u>Active</u> | <u>Trinity Aquifer</u> |

In the water loss audit submitted to the Texas Water Development Board for the time period of Jan-Dec 2018, our system had an estimated loss of 100m gallons over the 325 plus miles of water transmission lines. If you have any questions about the water loss audit please call our office at 940-458-3931.